



# Specification

1.00063.1000 Acetic acid (glacial) 100% anhydrous for analysis EMSURE® ACS,ISO,  
Reag. Ph Eur

	Specification	
Assay (alkalimetric)	≥ 99.8	%
Identity	passes test	
Color	≤ 10	Hazen
Acetaldehyde	≤ 2	ppm
Acetic anhydride	≤ 100	ppm
Titrateable base	≤ 0.0004	meq/g
Solidification temperature	≥ 16.3	°C
Chloride (Cl)	≤ 0.4	ppm
Phosphate (PO <sub>4</sub> )	≤ 0.4	ppm
Heavy metals (as Pb)	≤ 0.5	ppm
Sulfate (SO <sub>4</sub> )	≤ 0.4	ppm
Ag (Silver)	≤ 0.005	ppm
Al (Aluminium)	≤ 0.020	ppm
As (Arsenic)	≤ 0.010	ppm
Au (Gold)	≤ 0.010	ppm
B (Boron)	≤ 0.100	ppm
Ba (Barium)	≤ 0.010	ppm
Be (Beryllium)	≤ 0.005	ppm
Bi (Bismuth)	≤ 0.050	ppm
Ca (Calcium)	≤ 0.100	ppm
Cd (Cadmium)	≤ 0.020	ppm
Co (Cobalt)	≤ 0.010	ppm
Cr (Chromium)	≤ 0.020	ppm
Cu (Copper)	≤ 0.010	ppm
Fe (Iron)	≤ 0.050	ppm
Ga (Gallium)	≤ 0.050	ppm
Ge (Germanium)	≤ 0.020	ppm
Hg (Mercury)	≤ 0.005	ppm
In (Indium)	≤ 0.050	ppm
K (Potassium)	≤ 0.100	ppm
Li (Lithium)	≤ 0.010	ppm
Mg (Magnesium)	≤ 0.050	ppm
Mn (Manganese)	≤ 0.010	ppm
Mo (Molybdenum)	≤ 0.010	ppm
Na (Sodium)	≤ 0.200	ppm
Ni (Nickel)	≤ 0.020	ppm
Pb (Lead)	≤ 0.010	ppm
Pt (Platinum)	≤ 0.100	ppm
Sn (Tin)	≤ 0.050	ppm
Sr (Strontium)	≤ 0.010	ppm
Ti (Titanium)	≤ 0.050	ppm

# Specification

---

1.00063.1000 Acetic acid (glacial) 100% anhydrous for analysis EMSURE® ACS,ISO,  
Reag. Ph Eur

---

Tl (Thallium)	≤ 0.020	ppm
V (Vanadium)	≤ 0.010	ppm
Zn (Zinc)	≤ 0.030	ppm
Zr (Zirconium)	≤ 0.050	ppm
Substances reducing potassium dichromate	passes test	
Substances reducing potassium permanganate	≤ 20	ppm
Evaporation residue	≤ 5	ppm
Water	≤ 0.2	%
Dilution test	passes test	

Minimum shelf life: see product label

Dr. Reiner Vogt

---

Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.