

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 23.10.2017

Version 10.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®
REACH Registration Number	This product is a mixture. REACH Registration Number see section 3. This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number	Please contact the regional company representation in your country.
---------------------------------------	--

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture**

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Classification (REGULATION (EC) No 1272/2008)

Flammable liquid, Category 2, H225

Acute toxicity, Category 3, Oral, H301

Acute toxicity, Category 3, Inhalation, H331

Acute toxicity, Category 3, Dermal, H311

Specific target organ toxicity - single exposure, Category 1, Eyes, H370

Specific target organ toxicity - repeated exposure, Category 2, thyroid, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs (Eyes).

H373 May cause damage to organs (thyroid) through prolonged or repeated exposure.

Precautionary statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground/bond container and receiving equipment.

P280 Wear protective gloves/ protective clothing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs (Eyes).

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: Methanol, Iodine

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of inorganic and organic compounds

3.1 Substance

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Methanol ($\geq 50\%$ - $\leq 100\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

67-56-1	01-2119433307-44-	
	XXXX	Flammable liquid, Category 2, H225 Acute toxicity, Category 3, H301 Acute toxicity, Category 3, H331 Acute toxicity, Category 3, H311 Specific target organ toxicity - single exposure, Category 1, H370

Iodine ($\geq 5\%$ - $< 10\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7553-56-2	01-2119485285-30-	
	XXXX	Acute toxicity, Category 4, H332 Acute toxicity, Category 4, H312 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319 Specific target organ toxicity - single exposure, Category 3, H335 Specific target organ toxicity - repeated exposure, Category 1, H372 Acute aquatic toxicity, Category 1, H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

General advice

First aider needs to protect himself.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Drowsiness, Dizziness, narcosis, agitation, spasms, inebriation, Nausea, Vomiting, Headache, metallic taste, rhinitis, blindness, bloody diarrhoea, Impairment of vision, collapse, Coma
Drying-out effect resulting in rough and chapped skin.

4.3 Indication of any immediate medical attention and special treatment needed

Mention methanol.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Derived No Effect Level (DNEL)

Methanol (67-56-1)

Worker DNEL, acute	Systemic effects	dermal	40 mg/kg Body weight
Worker DNEL, acute	Systemic effects	inhalation	260 mg/m ³
Worker DNEL, acute	Local effects	inhalation	260 mg/m ³
Worker DNEL, longterm	Systemic effects	dermal	40 mg/kg Body weight
Worker DNEL, longterm	Systemic effects	inhalation	260 mg/m ³
Worker DNEL, longterm	Local effects	inhalation	260 mg/m ³
Consumer DNEL, acute	Systemic effects	dermal	8 mg/kg Body weight
Consumer DNEL, acute	Systemic effects	inhalation	50 mg/m ³
Consumer DNEL, acute	Systemic effects	oral	8 mg/kg Body weight
Consumer DNEL, acute	Local effects	inhalation	50 mg/m ³
Consumer DNEL, longterm	Systemic effects	dermal	8 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	inhalation	50 mg/m ³
Consumer DNEL, longterm	Systemic effects	oral	8 mg/kg Body weight
Consumer DNEL, longterm	Local effects	inhalation	50 mg/m ³

Iodine (7553-56-2)

Worker DNEL, acute	Systemic effects	inhalation	1 mg/m ³
Worker DNEL, longterm	Systemic effects	inhalation	0,07 mg/m ³
Worker DNEL, acute	Systemic effects	dermal	0,01 mg/kg Body weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Worker DNEL, Systemic effects dermal 0,01 mg/kg Body weight
longterm

Predicted No Effect Concentration (PNEC)

Methanol (67-56-1)

PNEC Fresh water	154 mg/l
PNEC Fresh water sediment	570,4 mg/kg
PNEC Marine water	15,4 mg/l
PNEC Soil	23,5 mg/kg
PNEC Sewage treatment plant	100 mg/l

Iodine (7553-56-2)

PNEC Fresh water	0,01813 mg/l
PNEC Marine water	0,06001 mg/l
PNEC Sewage treatment plant	11 mg/l
PNEC Fresh water sediment	3,99 mg/kg
PNEC Marine sediment	20,22 mg/kg
PNEC Soil	5,95 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	butyl-rubber
Glove thickness:	0,7 mm
Break through time:	> 480 min

splash contact:

Glove material:	Viton (R)
Glove thickness:	0,70 mm
Break through time:	> 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 890 Vitoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter AX (EN 371)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	brown
Odour	alcohol-like
Odour Threshold	No information available.
pH	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	< 21 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	0,85 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	No information available.
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air.

10.2 Chemical stability

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

Oxidizing agents, perchloric acid, perchlorates, salts of oxyhalogenic acids, chromium(VI) oxide, halogen oxides, nitrous acid, nitrogen oxides, nonmetallic oxides, chromosulfuric acid, chlorates, hydrides, zinc diethyl, halogens, magnesium, hydrogen peroxide

Exothermic reaction with:

acid halides, Acid anhydrides, Reducing agents, acids

Generates dangerous gases or fumes in contact with:

Alkaline earth metals, Alkali metals

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

various plastics, zinc alloys, magnesium

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Acute toxicity estimate: 109,78 mg/kg

Calculation method

Symptoms: metallic taste, bloody diarrhoea, Circulatory collapse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

Acute inhalation toxicity

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate: 3,21 mg/l; 4 h ; vapour

Calculation method

Acute dermal toxicity

Acute toxicity estimate : 322,7 mg/kg

Calculation method

Skin irritation

Possible damages:

Drying-out effect resulting in rough and chapped skin.

Eye irritation

Possible damages:

mucosal irritations

Sensitisation

Sensitisation possible in predisposed persons.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Specific target organ toxicity - single exposure

Mixture causes damage to organs.

Target Organs: Eyes

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

Target Organs: Thyroid

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

acidosis, drop in blood pressure, agitation, spasms, inebriation, Dizziness, Drowsiness,

Headache, Impairment of vision, blindness

narcosis, Coma

Symptoms may be delayed.

Damage to:

Liver, Kidney, Cardiac, Irreversible damage of the optical nerve.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Methanol

Acute oral toxicity

LDLO human: 143 mg/kg

(RTECS)

Acute toxicity estimate: 100,1 mg/kg

Expert judgement

Acute inhalation toxicity

LC50 Rat: 131,25 mg/l; 4 h ; vapour

(ECHA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Acute dermal toxicity

LD50 Rabbit: ca. 17.100 mg/kg

(External MSDS)

Acute toxicity estimate : 300,1 mg/kg

Expert judgement

Skin irritation

Rabbit

Result: No skin irritation

(ECHA)

Eye irritation

Rabbit

Result: No eye irritation

(ECHA)

Sensitisation

Sensitisation test: Guinea pig

Result: negative

Method: OECD Test Guideline 406

Repeated dose toxicity

Rat

male and female

Inhalation

vapour

28 d

daily

NOAEL: 6,66 mg/l

OECD Test Guideline 412

Subacute toxicity

Rat

male and female

Inhalation

365 d

daily

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

NOAEL: 0,13 mg/l
LOAEL: 1,3 mg/l
OECD Test Guideline 453

Germ cell mutagenicity
Genotoxicity in vivo
Micronucleus test
Mouse
male and female
Intraperitoneal injection
Result: negative
Method: OECD Test Guideline 474

Genotoxicity in vitro
Ames test
Salmonella typhimurium
Result: negative
Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test
Result: negative
Method: OECD Test Guideline 476

Iodine

Acute oral toxicity
LD50 Rat: 14.000 mg/kg
(RTECS)

Acute dermal toxicity
LD50 Rabbit: 1.425 mg/kg
US-EPA

Skin irritation
In vitro study
Result: non-corrosive
OECD Test Guideline 435

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

In vitro study

Result: Irritations

OECD Test Guideline 439

Sensitisation

In animal experiments: Mouse

Result: negative

Method: OECD Test Guideline 429

Repeated dose toxicity

Rat

female

Oral

100 d

daily

NOAEL: 3 mg/l

LOAEL: 10 mg/l

OECD Test Guideline 408

thyroid

(as aqueous solution)

Rat

male and female

Oral

29 - 47 d

daily

NOAEL: 10 mg/kg

OECD Test Guideline 422

Germ cell mutagenicity

Genotoxicity in vitro

Mutagenicity (mammal cell test):

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

UDS (Unscheduled DNA synthesis assay)

Result: negative

Method: OECD Test Guideline 482

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Components

Methanol

Toxicity to fish

flow-through test LC50 Lepomis macrochirus (Bluegill sunfish): 15.400 mg/l; 96 h
US-EPA

Toxicity to daphnia and other aquatic invertebrates

EC50 E.sulcatum: > 10.000 mg/l; 72 h
(Lit.)

EC50 Daphnia magna (Water flea): > 10.000 mg/l; 48 h
(IUCLID)

Toxicity to algae

static test EC50 Pseudokirchneriella subcapitata (green algae): ca. 22.000 mg/l; 96 h
OECD Test Guideline 201

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Toxicity to bacteria

EC5 Pseudomonas fluorescens: 6.600 mg/l; 16 h
(IUCLID)

static test IC50 activated sludge: > 1.000 mg/l; 3 h

Analytical monitoring: yes

OECD Test Guideline 209

Toxicity to fish (Chronic toxicity)

NOEC Oryzias latipes (Orange-red killifish): 7.900 mg/l; 200 h

(External MSDS)

Biodegradability

99 %; 30 d

OECD Test Guideline 301D

Readily biodegradable

Biochemical Oxygen Demand (BOD)

600 - 1.120 mg/g (5 d)

(IUCLID)

Chemical Oxygen Demand (COD)

1.420 mg/g

(IUCLID)

Theoretical oxygen demand (ThOD)

1.500 mg/g

(Lit.)

Ratio BOD/ThBOD

BOD5 76 %

Closed Bottle test

Partition coefficient: n-octanol/water

log Pow: -0,77

(experimental)

(Lit.) Bioaccumulation is not expected.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Stability in water

2,2 yr

reaction with hydroxyl radicals (IUCLID)

Iodine

Toxicity to fish

static test LC50 *Oncorhynchus mykiss* (rainbow trout): 1,67 mg/l; 96 h
(ECHA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 *Daphnia magna* (Water flea): 0,55 mg/l; 48 h
(ECHA)

Toxicity to algae

Growth inhibition ErC50 *Desmodesmus subspicatus* (green algae): 0,13 mg/l; 72 h
OECD Test Guideline 201

Toxicity to bacteria

EC50 activated sludge: 280 mg/l; 3 h
OECD Test Guideline 209

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 1230
14.2 Proper shipping name	METHANOL SOLUTION
14.3 Class	3 (6.1)
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	D/E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 1230
14.2 Proper shipping name	METHANOL SOLUTION
14.3 Class	3 (6.1)
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H₂O Aquastar®

14.1 UN number UN 1230
14.2 Proper shipping name METHANOL SOLUTION
14.3 Class 3 (6.1)
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-E S-D
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation ACUTE TOXIC
H2
Quantity 1: 50 t
Quantity 2: 200 t

SEVESO III
FLAMMABLE LIQUIDS
P5c
Quantity 1: 5.000 t
Quantity 2: 50.000 t

SEVESO III
Methanol
22
Quantity 1: 500 t
Quantity 2: 5.000 t

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 188010
Product name Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \triangleq ca. 5 mg H₂O Aquastar®

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 3

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	188010
Product name	Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml \pm ca. 5 mg H ₂ O Aquastar®

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.